



Science News

[Share](#) [Blog](#) [Cite](#)
[Print](#) [Bookmark](#) [Email](#)

Nanoparticles With Honeycomb Cavities Containing Drugs Blast Cancer Cells

ScienceDaily (Apr. 20, 2011) — Melding nanotechnology and medical research, Sandia National Laboratories, the University of New Mexico, and the UNM Cancer Research and Treatment Center have produced an effective strategy that uses nanoparticles to blast cancerous cells with a mélange of killer drugs.

See Also:

Health & Medicine

- [Lung Cancer](#)
- [Cancer](#)
- [Prostate Cancer](#)

Matter & Energy

- [Nanotechnology](#)
- [Biochemistry](#)
- [Organic Chemistry](#)

Reference

- [Nanomedicine](#)
- [Natural killer cell](#)
- [Nanoparticle](#)
- [Monoclonal antibody therapy](#)

In the cover article of the May issue of *Nature Materials*, available online April 17, the researchers describe silica nanoparticles about 150 nanometers in diameter as honeycombed with cavities that can store large amounts and varieties of drugs.

"The enormous capacity of the nanoporous core, with its high surface area, combined with the improved targeting of an encapsulating lipid bilayer [called a liposome], permit a single 'protocell' loaded with a drug cocktail to kill a drug-resistant cancer cell," says Sandia researcher and UNM professor Jeff Brinker, the principal investigator. "That's a millionfold

increase in efficiency over comparable methods employing liposomes alone -- without nanoparticles -- as drug carriers."


The nanoparticles and the surrounding cell-like membranes formed from liposomes together become the combination referred to as a protocell: the membrane seals in the deadly cargo and is modified with molecules (peptides) that bind specifically to receptors overexpressed on the cancer cell's surface. (Too many receptors is one signal the cell is cancerous.) The nanoparticles provide stability to the supported membrane and contain and release the therapeutic cargo within the cell.

A current Food and Drug Administration-approved nanoparticle delivery strategy is to use liposomes themselves to contain and deliver the cargo. In a head-to-head comparison of targeted liposomes and protocells with identical membrane and peptide compositions, Brinker and colleagues report that the greater cargo capacity, stability and targeting efficacy of protocells leads to many times greater cytotoxicity [destruction] directed specifically toward human liver cancer cells.

Another advantage to protocells over liposomes alone, says lead author Carlee Ashley, a Harry S. Truman post-doctoral fellow at Sandia's California site in Livermore, is that liposomes used as carriers need specialized loading strategies that make the process more difficult. "We've demonstrated we can just soak nanoparticles to load them with unique drug combinations needed for personalized medicine. They effectively encapsulate toxins as well as siRNA [ribonucleic acid] that silence expressions of proteins."

RNA, the biological messenger that tells cells which proteins to manufacture, in this case is used to silence the cellular factory, a way of causing apoptosis or cell death. "Si" is short for "silence."

The lipids also serve as a shield that restricts toxic



The figure on the left (Hep3B) shows a green fluorescent cancerous liver cell penetrated by protocells. The small red dots are lipid bilayer wrappings. Their cargo — drug-filled nanoparticles, their pores here filled with white fluorescent dyes for imaging purposes — penetrate the cancerous cell. (Penetration is more clearly seen in the second image.) The normal cell on the right (hepatocyte) shows no penetration. (Credit: Image courtesy of DOE/Sandia National Laboratories)

Ads by Google

Lung cancer? — Compensation trust fund information Find out if you qualify www?.call david?.com


living with cancer — see survivor stories & chat online with our oncology info specialists ?Cancer?Center?.com?/?Care?That?Never?Quits

Cancer Support and Tips — Register for Cancer Information, Patient Support and Useful Tips. www?.?Oral?Chemotherapy?Treatment?.com

Anti-Cancer Foods — 10 Best Cancer-Fighting Foods For A Diet Rich in Anti-Oxidants ?She?Knows?.com?/?Health

Diagnosed with Cancer? — Effective noninvasive treatments that rebuild the immune system! newhopemedicalcenter?.com

Related Stories




New 'Pyrex' Nanoparticle More Stable In Harsh Environments (Sep. 10, 2008) — Researchers in Switzerland have developed a new method to fabricate borosilicate glass nanoparticles. Used in microfluidic systems, these "Pyrex"-like nanoparticles are more stable when subjected to ... [> read more](#)

Easing Concerns About A Promising New Medical Imaging Agent (Aug. 20, 2007) — In a study that eases concern about the toxicity of nanoparticles being considered for use in medical imaging and biomedical research, scientists are reporting "no significant toxic effects" from ... [> read more](#)

Just In:
[Light Can Repair New Material When Scratched](#)

Science Video News



Unraveling Brain Tumors
Brain tumor researchers have found that brain tumors arise from cancer stem cells living within tiny protective areas formed by blood vessels in the ... [> full story](#)

- ▶ [Chemical Engineers Call On Nanoparticles To Combat Polluted Groundwater](#)
- ▶ [Biomedical Engineers' 'Body-on-a-Chip' Could Reduce Cost of Developing New Drugs](#)
- ▶ [Pediatric Cardiologists Show Hormone Therapy Reduces Cancer Treatment Side Effects](#)
- ▶ [more science videos](#)

Breaking News ... from NewsDaily.com


- ▶ [Scientists manipulate mosquitoes in malaria fight](#)
- ▶ [U.S. hi-tech energy unit extends life in budget deal](#)
- ▶ [Scientists take steps to making "bionic" leg](#)
- ▶ [NASA clears shuttle Endeavour for April 29 launch](#)
- ▶ [more science news](#)

In Other News ...

- ▶ ["Restrepo" director killed in Libya: doctors](#)
- ▶ [Sarkozy tells Libyan rebels: "We will help you"](#)
- ▶ [Gold breaks \\$1,500 as investors seek security](#)
- ▶ [U.S. recommends death penalty in](#)



WHEN IT COMES TO
SUPPORT
WE DON'T MAKE
EXCUSES.



chemotherapy drugs from leaking from the nanoparticle until the protocell binds to and takes hold within the cancer cell. This means that few poisons leak into the system of the human host, if the protocells find no cancer cells. This cloaking mitigates toxic side effects expected from conventional chemotherapy.

Instead, the particles -- crafted small enough to float under the radar of the liver and other cleansing organs -- can circulate harmlessly for days or weeks, depending on their engineered size, seeking their prey.

A library of phages -- viruses that attack bacteria -- was created at UNM's nationally accredited cancer center by collaborator David Peabody. This permitted researchers to expose the phages to a group of cancerous cells and normal cells, allowing identification of peptides that bind specifically to cancer cells but not normal cells.

"Proteins modified with a targeting peptide that binds to a particular carcinoma exhibit a 10,000-fold greater affinity for that cancer than for other unrelated cells," Ashley said.

Boosting medicine with nanotechnology strengthens drug cocktail many times over

Brinker adds, "A key feature of our protocell is that its fluid bilayer allows high-affinity binding with just a few of these peptides overall. This reduces nonspecific binding and immune response."

The method is being tested on human cancer cells in vivo, and will shortly be tested on mouse tumors at UNM's cancer center.

The researchers continue to optimize the size of the porous silica particle, which is formed by aerosolizing a precursor solution. The porous nanoparticle fabrication process -- called evaporation-induced self-assembly, and pioneered in the Brinker lab -- produces particles from 50 nanometers to several microns in diameter. Particle sizes between 50 and 150 nanometers in diameter are ideal for maximizing circulation and uptake into cancer cells, so the particles are preselected by size before their formation into protocells.

"Their overall dimensions determine how widely they'll be distributed in the bloodstream," Brinker said. "We're altering our synthesis to favor the smaller sizes."

Also of importance to the circulation time of the particle are its electrical charge and hydrophobicity [avoidance of water], which can improve or detract from its ability to remain free of unwanted molecular or energetic entanglements.






The method may be commercially available in five years, researchers estimate.

Brinker is a Sandia Fellow and UNM Regent's and Distinguished Professor of Chemical and Nuclear Engineering and member of UNM's cancer center.

Other institutions involved in the research include the University of California Davis, and the University of Waterloo in Canada.

Funding was provided by the National Cancer Institute (NCI), the National Science Foundation, the Department of Energy's Basic Energy Sciences program, the Air Force Office of Scientific Research, and Sandia's Laboratory Directed Research and Development office.

The work is the first to show targeted delivery of nanoparticles to cancers that is supported in part by a grant from NCI's Alliance for Nanotechnology in Cancer.

Email or share this story:      [More](#)

Story Source:

The above story is reprinted (with editorial adaptations by ScienceDaily staff) from materials provided by DOE/Sandia National Laboratories.

Journal Reference:

1. Carlee E. Ashley, Eric C. Carnes, Genevieve K. Phillips, David Padilla, Paul N. Durfee, Page A. Brown, Tracey N.

New Nanomaterials To Deliver Anticancer Drugs To Cells Developed

(June 8, 2007) — Researchers report a novel approach using silica-based nanoparticles for the delivery of camptothecin and other water-insoluble drugs into human cancer cells. They manipulated nanomaterials to create ... > [read more](#)



Behavior Modification Could Ease Concerns About Nanoparticles (Nov. 13, 2009) —

In an advance that could help ease health and environmental concerns about the emerging nanotechnology industry, scientists are reporting development of technology for changing the behavior of ... > [read more](#)



Nanoparticles Hitchhike On Red Blood Cells: A Potential New Method For Drug Delivery (June 28, 2007) —

Polymeric nanoparticles are excellent carriers for delivering drugs. However, they are quickly removed from the blood, sometimes in minutes, rendering them ineffective in delivering drugs. This study ... > [read more](#)

Carbon-Coated Nanomagnets Could Be A New Form Of Cancer Treatment (May 17, 2008) —

Carbon-coated nanomagnets may offer a new form of cancer treatment. New research suggests that nanoparticles consisting of metallic iron with a protective carbon coat could serve as a safe and ... > [read more](#)

Toward A Nanomedicine For Brain Cancer

(Sep. 9, 2009) — In an advance toward better treatments for the most serious form of brain cancer, scientists in Illinois are reporting development of the first nanoparticles that seek out and destroy brain cancer ... > [read more](#)

Gold Nanoparticles Could Improve Antisense Cancer Drugs (May 19, 2006) —

In the fight against cancer, antisense drugs, which prevent genes from producing harmful proteins such as those that cause cancer, have the promise to be more effective than conventional drugs, but ... > [read more](#)

Ads by Google

Brain Training Games

Improve memory with scientifically designed brain exercises. www.lumosity.com

USS Cole attack

- ▶ **Special Report: From Hannibal Lector to Bernie Madoff**
- ▶ **Lobbying push targets lawmakers on debt vote**
- ▶ **True Finns see Portugal bailout opposition growing**
- ▶ **At Facebook headquarters, Obama seeks 2008 magic**
- ▶ **more top news**

Copyright Reuters 2008. See [Restrictions](#).

Free Subscriptions ... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

- ▶ [Email Newsletters](#)
- ▶ [RSS Newsfeeds](#)

Feedback ... we want to hear from you!

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

Your Name:

Your Email:

Comments:

Click button to submit feedback:

Hanna, Juewen Liu, Brandy Phillips, Mark B. Carter, Nick J. Carroll, Xingmao Jiang, Darren R. Dunphy, Cheryl L. Willman, Dimiter N. Petsev, Deborah G. Evans, Atul N. Parikh, Bryce Chackerian, Walker Wharton, David S. Peabody, C. Jeffrey Brinker. The targeted delivery of multicomponent cargos to cancer cells by nanoporous particle-supported lipid bilayers. *Nature Materials*, 2011; DOI: [10.1038/nmat2992](https://doi.org/10.1038/nmat2992)

Need to cite this story in your essay, paper, or report?
Use one of the following formats:

APA DOE/Sandia National Laboratories (2011, April 20). Nanoparticles with honeycomb cavities containing drugs blast cancer cells. *ScienceDaily*. Retrieved April 21, 2011, from <http://www.sciencedaily.com/releases/2011/04/110418114208.htm>

Note: If no author is given, the source is cited instead.

Disclaimer: This article is not intended to provide medical advice, diagnosis or treatment. Views expressed here do not necessarily reflect those of ScienceDaily or its staff.

[Search ScienceDaily](#)

Number of stories in archives: 101,540

Find with keyword(s):

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

[About ScienceDaily®](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute News](#) | [Advertise With Us](#) | [Privacy Policy](#) | [Terms of Use](#)
Copyright © 1995-2010 ScienceDaily LLC — All rights reserved — Contact: editor@sciencedaily.com

Note: This web site is not intended to provide medical advice, diagnosis or treatment.

Part of the *iVillage Your Total Health Network*